On-surface metalation of salophene molecules with Dy on Au(111) substrate

<u>T. Grzela¹</u>, M. Bazarnik^{1,2}

¹ Institute of Physics, Poznan University of Technology, Piotrowo 3, 60-965 Poznan, Poland ² Institute of Physics, Universität Münster, Wilhelm-Klemm-Straße 10, 48149 Münster, Germany

Email address of corresponding author tomasz.grzela@put.poznan.pl

In recent years, metal-organic complexes have garnered much interest as an active area of research as a result of their enormous potential application in, e.g.: high-efficiency organic light-emitting devices, solar cells, photodetectors, or in electrocatalysis [1,2]. Metal-organic complexes are also a promising pathway for microelectronic miniaturization and open up new possibilities in the development of spintronics [3-5]. Since not all complexes are stable in air, *in situ* on-surface metalation is an attractive alternative to wet chemistry.

On-surface metalation of 5,5'-dibromosalophene with 3d transition metals (Co, Fe and Cr) on Cointercalated graphene grown on Ir (111) was shown to be a promising pathway to vary magnetic and electronic properties of metal–organic complexes [6]. Moreover, on-surface metalation gives clean samples of various different metal–organic complexes, without any pollution or contaminations.

Within this contribution, we present results focused on *in situ* under UHV conditions, the on-surface metalation process of 5,5'-dibromosalophene with dysprosium. The metalation is realized in a twostep process deposition of the rare-earth metal atoms on sample kept at room temperature, followed by postprocessing annealing at elevated temperatures. The morphology and electronic structure of the obtained salophene complexes were investigated by using a combination of scanning tunneling microscopy and spectroscopy.

We gratefully acknowledge financial support from the National Science Centre, Poland under Grant No. 2017/26/E/ST3/00140.

- [1] Xu Hui et al., Chem. Soc. Rev., 10, 3259–3302 (2014)
- [2] Sorokin Alexander, Chem. Rev., **10**, 8152–8191 (2013)
- [3] Caplins Benjamin et al., J. Phys. Chem. Lett., 10, 1679–1684 (2014)
- [4] Bogani Lapo *et al.*, Nat. Mater., **7**, 194–204 (2009)
- [5] Bazarnik Maciej *et al.*, Nano Letters, **1**, 577–582 (2016)
- [6] Elsebach Micha et al., Journal of Physical Chemistry C, 7, 4279–87 (2020)